



THE BLACK VAULT

This document was obtained from The Black Vault, an online database of declassified government documents. This particular record is housed in the MKULTRA/Mind Control Collection, a compilation of more than 20,000 pages declassified by the Central Intelligence Agency (CIA).

The entire collection is free to download and online at:

<http://mkultra.theblackvault.com>

Chief, I & S Staff

A, B, II, 9, 49
24 November 1950

Bluebird Team

Medical Summary P File No.: B#7 - 1, 2, 3, 4, 5, 6

The medication in this case was Sodium Amytal intravenously, 5% solution administered at the rate of 1 cc a minute. The total amount of Sodium Amytal was .15 cc or 0.75 gm. The stimulants were Picrotoxin intravenously, total 2 cc and Benzedrine, 10 mg orally.

The intravenous Sodium Amytal was started at 1524 with 7 cc being given at the rate of 1 cc a minute and then a few minutes were allowed to elapse to observe the effect following which 2 more cc were given. A waiting period again followed with 3 more cc being given and then again a waiting period followed by 3 more cc and finally 3 cc at 1604. The intermittent nature was to keep the patient at the proper point for the technique. At 1610, the administration of 2.5 cc of Picrotoxin had been completed. The Subject still slept following this by permission for 5 minutes. He was then awakened. At 1701, 1.5 cc of Picrotoxin was administered and at 1705, 0.5 cc of Picrotoxin. The Subject, at that time, was awake but said that he felt sleepy. At 1720, 10 mg of oral Benzedrine was given.

The desired effect was produced by the medication. The Subject believed the medication was given only for the calming effect concerning the D. D. machine test.

A

- A

1125 AMPTA - 10 cc - 16% HEPARIN - 2cc. 1.5-1.000

SO, AMPTA INHIBITS HEPARIN IN BLOOD PLATELET AGGREGATION

FOR THE TIME - THE HEPARIN FEELS PLEASANTLY

1524 1.5

1531 7cc 1.0

1539 1.5

1541 2cc 1.0

1545 1.5

1558 3cc 1.0

1600 1.5

1604 3cc 1.0

1606 1.5

1605 2.0

1655 1.5

1700 1.5

1701 4.5P 1.0

1705 1.5

1706.5 0.5P 1.0

1720 1.0 mg. DIAL BENTONINE

HEPARIN EFFECT PROBABLY MAXIMIZED

SUBJECT BELIEVED IT WAS A LITTLE BETTER

FOR CALMING EFFECT

B#30

~~GENERAL INFORMATION~~ ~~1000/500~~

Fleisch 100 gm

ALL INFORMATION CONTAINED - HEREIN IS UNCLASSIFIED

REFERENCES AND NOTES

			EFFECT		INJECTION STARTED
10211.0	I.T.		SLEEP	I.R.T.	
10504.14	I.S.		SLEEP	EFFECT	"
106	"ECCLES VISION"		LEAVE	SEE	10-11
117 10	I.T.		FOR	TELMX	11-12
118	I.S.				
119	EYES ITCHY				
114 3.C	I.T.				"
117 24.6	I.S.				
121 10	I.T.	VITILLI			
122	ASLEEP -- EASILY PROVOKED				
124			(S.I.)		
125	I		(KETASEC 100)		
147	DEN. FISH.	I.S.			
25	SO. FISH.	I.T.	TOTAL	"	
21		I.S.	SCAMPAL	16 L.	
2	I.C.	I.T.	EFC, SCL	5 L.	
21	PLATE	I.S.	PRESOXIN	1.5 L.	
2	O.S.	I.T.			