

THE BLACK VAULT

This document was obtained from The Black Vault, an online database of declassified government documents. This particular record is housed in the MKULTRA/Mind Control Collection, a compilation of more than 20,000 pages declassified by the Central Intelligence Agency (CIA). The entire collection is free to download and online at:

http://mkultra.theblackvault.com

· Office Memorandum · united states government

TO

DATE:

15 July 1954

FROM

SUBJECT:

A-B/3

1. Between 3:00 and 4:30 PM, Wednesday, 1h July 195h,
and the writer discussed immediate problems in connection with the situation in the primary discussion was concerned with the immediate necessity of obtaining a Headquarters House for After considerable discussion, the basic essentials as set forth by and and agreed to tentatively by the writer were as follows:

B/3

- a) The house should be located between to the and it should be somewhere between if possible.
- type having a basic area of no less than three floors or possibly four. The house should have two entrances, preferably one fore and aft. The house itself must not have janitor service, no doorman and no secretarital service. It should be of sufficiently strong construction to accommodate at least two or three of the standard drawer-type safes together in any one given area.
- C) The house should be large enough to have internal area for the following rooms:
 - 1. Director and Assistant Director.

A

2. Ladrinistrative).

- 4. A secretary and receiptionist office (situated at the entrance to building)
- 5. Conference room
- 6. A special purpose operations room.
- d) In addition, the house should have living facilities, possibly at least one bedroom, living room, toilet and kitchen on top floor.
- e) House must have at least three toilets and refrigerating facilities other than mentioned immediately above or area suitable for this type of purpose.
- f) Telephone service for the house is not to run directly through the lines.
- sible from

 and preferably be abutted on each side by
 private dwellings. In this connection, and

 area be cleared by Security before any occupancy but
 by the project and both requested
 Security to check out the house completely and make
 recommendations for any and all necessary safety
 precautions. This to include a device for burning
 and destroying classified papers and material.
- h) besires air-conditioning in the house on an

individual room basis, particularly the conference room and important rooms with wire screening or whatever necessary protective devices are on the windows.

- 2. The matter of 24-hour protection was discussed and it was agreed that this would be important. In this connection, it was felt that if it could be arranged properly, would reside in the house in the apartment on the top floor. All present agreed that girls living in the house would not be a good idea and a suitable watchman who resided in was not sound.
- - h. A conference was scheduled for 10:00 AM, Friday, 16 July 1954 and at this conference will report on the situation and surther steps will be agreed upon.

A