

## THE BLACK VAULT

This document was obtained from The Black Vault, an online database of declassified government documents. This particular record is housed in the MKULTRA/Mind Control Collection, a compilation of more than 20,000 pages declassified by the Central Intelligence Agency (CIA). The entire collection is free to download and online at:

http://mkultra.theblackvault.com

MINDRAND M MORE Gulef, Medical Staff

SUBJUCT:

Alcohol Antagonists

- l. information would be appreciated regarding the evailability and the effectiveness of alcohol antagonists that might be prepared in liquid, pill or capsule form for use.
- 2. Recently, when interest in this subject developed, a non-professional survey of the problem, which is attached, revealed four possible approaches to the subject which apparently have not been exhaustively studied.
  - a. Use of alcohol antagonists before drinking.
    - (1) -Bonzodrino.
    - (2) Perritin.
  - b. Admorption of elected in the directive tract.
    - (1) Charcoal
    - (2) Aluminum gal preparations.
  - c. linery eating of starches and sugars before and ...
    - d. Accolerated alcohol oridation (climination).
      - (1) nayme adjuvante, such as misotinic acid.
- 3. Your opinions and so gestions on this subject would be appreciated at your earliest convenience.

A Assistant Director

Attachment: 1
"Intoxication, Micohol Absorption and Antagonists"

9 Orig. in IG/ 26 June 1952 ATTENTION:

Alcohol Antagonists

- 1. Your memorandum dated 19 August 1952 concerning alcohol antagonists has been reviewed with considerable interest. From this review it appears that there is no simple substance or compound available at the present time which is adequate to serve the operational needs of our personnel.
- 2. The corollary problem which has occurred to this office, as a result of reviewing your memorandum, involves the desirability of having available some substance which could be inserted into a drink to accelerate the effect of alcohol. It would be of considerable operational value to \_\_\_\_ if we had available à substance which could effectively inhibit the effects of alcohol as well as another substance which could be inserted in a drink to accelerate the effects of alcohol. The utility of such substances is believed to be sufficient to justify embarking on at least some medical research to determine the feasibility of developing such substances.

## ACTION

3. It is requested that the Medical Pivision discuss this matter with OTS and determine which component should undertake such research and development program and advice this office. Upon receipt of such advice a more detailed requirement will be levied upon the appropriate component if necessary or advisable.

A - 10/

G CC: OTS, Attn: